Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




Wholesale Price-List HERBACEOUS PERENNIALS

1905



BAY STATE NURSERIES
WINDSOR H. WYMAN
NORTH ABINGTON
MASSACHUSETTS



Herbaceous Department.

There is an increasing interest in the planting of hardy perennials and each year finds the popularity more firmly established.

Our collection contains over Six Hundred species and varieties, so that one, by making judicious selections, may stock the garden with plants which afford flowers in succession from early Spring until late Fall.

We send out only strong, field-grown plants, which will bloom the first season after planting.

HARDY PERENNIAL PLANTS.

ACANTHIC mallia (Dagwa Drocob)	Per 10	Per 100
ACANTHUS mollis (Bear's Breech)—	#	
A striking foliage plant. July. 3 ft	φ1.00	
Ægyptica—Yellow flowers. July to September. 20 in. millefolium roseum (Rosy Milfoil) Rosy pink, in	1.00	
dense heads all summer, 18 in	.80	\$7.00
ptarmica fl. pl.—"The Pearl," pure white; flowers		
all summer, 2 ft	.60	4.00
autumnale—Deep blue flowers in clusters. Oct. 4 ft.	T 00	
Napellus—Large dark-blue, August to September,	1.00	
2 ft	1.00	
uncinatum—Deep purple, June and July, 2 ft	1.00	
ACTÆA Japonica—Long spikes of clear white flowers.		
18 in. June	1.50	
ADONIS vernalis (Spring Adonis)— The earliest spring flowering perennial. Bright		
yellow. 12 in	1.00	8.00
AGROSTEMMA (Mullein Pink).		0.00
coronaria - Bright crimson flowers and silvery white		
foliage, 3 ft	.60	5.00
coronaria alba—White	.60	5.00
AJUGA reptens (Bugle)—		0
Purple-spiked flowers in May. 6 in	1.00	8.00
aurantica. Bright orange-colored flowers. July to		
September, 2 ft	1.00	
ALTHÆA rosea(Hollyhock)—Beginning with July their		
long spikes of showy flowers, in all colors, in both		
single and double forms are unsurpassed.		0
Double varieties, all colors separate	1.00	8.00
Single mixed	I.QO I.20	8.00
ALYSSUM saxatile compactum (Basket of Gold, or	1.20	10.00
Gold Tuft)—Valuable for rockery or border, bright		
yellow flowers in early summer, I ft	1.00	8.00
AMSONIA Tabernæmontana—Shrub-like spikes of	_	
clear blue flowers in June, 2 ft	.80	6.00
ANCHUSA Italica (Alkanet)—Large heads of deep	90	6
blue flowers the entire season, 4 ftsempervirens	.80 .80	6.00 6.00
онтрот тионо	.00	0.00

	Per 10	Per 100
ANEMONE Japonica—Carmine, with yellow center. September until frost. 2 to 3 ft		\$10.00
Japonica, var. alba — White. September until frost.		*
2 to 3 ft	1.20	10.00
2 to 3 ft	I.20	10.00
frost, 2 to 3 ft	I.20	10.00
plant for rockery or border, large white flowers in August, 1 ft	.80	6.00
April and May, 6 in	1.00	8.00
white flowers in spring, 15 in		8.00
low. June to August, 2 to 3 ft	.60	5.00
liliastrum major—Pure white flowers in July. 2 ft APIOS tuberosa—A native climber of vigorous habit,	1.00	8.00
flowers chalkolet-red. July	.60	5.00
bine," 2 ft	.80	6.00
Californica Hybrida - Mixed colors, 2 ft	.80	6.00
Canadensis—The wild honeysuckle. Scarlet and yel-		
low flowers	.60	5.00
bine,'' flowers golden yellow, 2 ft	.60	5.00
la ge white corolla, 2 ft	I.00 I.00	8.00
vulgaris—Flowers in all shades of blue, white, red	1.50	
and purple. 3 ft. April to June	.80 1.00	6.00
kinds, 2 ft	.80	6.00
to 9 in	.80	6.00
rockery, pure white flowers in early spring ARMERIA formosa—Deep crimson, blooming through	.80	6.00
the summer, I ft	.80	
summer, I ft	.80	8.00
age, dwarf	.80	6.00
red, flowers in July, 3 to 4 ft *Tuberosa (Butterfly Weed)—Compact umbels of brilliant orange-colored flowers, July to September,	.80	6.00
2 ft,	.60	5.00

Day Deate Harberton		. 3
ASDEDITI A (Woodwiff)	Per 10	Per 100
ASPERULA (Woodruff)— odorata.—Heads of snowy-white flowers. May. 12 in	\$.8o	
Hardy Asters.		
(Michaelmas Daisies.)		
Field grown plants. \$.80 per 10, \$6.00 per	100.	
Acris—2 ft. Blue, large head, early. Amellus var. bessarabicus—18 in. Bluish purple, large Combe Fishacre—2 ft. Pale lavender, large flower, presently. Frieder (Heady like Acres) 28 in. White flowers	rofuse b	oloomer.
Ericoides (Heath-like Aster)—18 in. White, flower gant, late.		but ele-
Esma—18 in. White, large flower, dense head, late. Longifolia formosissimo—3 ft. Rosy purple, dense medium.		flower
Grace—3 ft. Bluish lavender, large flower, late. Isabel—3 ft. Pale blue, flower medium, late. John Wood—3 ft. White shaded pink, flower mediu		7.
Lady Trevellyn—3 to 4 ft. Large white flowers, ear Lævis—3 to 4 ft. Blue, flowers large, early. florabunda—3 ft. Light blue, flowers large, late.	ly.	
Madonna—3 ft. Pure white, large flowers, late. M. perennial—2 ft. Light blue, flowers, medium ear	rlv.	
Multiflorus—18 in. Multitudes of small white flowers Novæ-Angliæ (New England Aster)—4 ft. Violet	s, late.	flowers
large, late. roseus—3 to 4 ft. Rosy crimson, large flower, late		
Novæ-Belgii—3 ft. Pale blue, flower medium. late. Novelty—3 ft. Deep pink, flower medium, late, very	y fine.	
Pulcherrima—2 ft. Violet blue, larger flower, profuse bloomer, late. Puniceus—4 to 5 ft. Very light blue, flower medium, late. Sawyer—2 ft. Pink, fading to white, flower large, late.		
T. S. Ware—3 to 4 ft. Delicate pink, very dense, la		ъ
ASTILBE OR SPIRÆA Japonica—Plumy spikes of	Per 10	Per 100
pure white flowers, June and July, 2 ft		\$ 7.00
dark blue, June and July, 2 fttinctoria Deep green, deeply cut foliage; Showy	1.00	8.00
spikes of dark blue flowers. July. 2 ft BELLIS—(English Daisy) perennis—Red, white and	.80	6.00
pink, double. Spring flowers, 6 in	.60	5.00
A noble perennial with beautiful foliage and pure white flowers, July and August, 6 to 8 ft BOLTONIA asteroides (False Chamomile)—One of the showiest of our native perennials, with pure white	.80	
Aster-like flowers, 5 to 6 ft	.80	6.00
5 to 6ft	.60	5.00

PIIDUTH A I MITTM (Output)	Per 10	Per 100
BUPHTHALMIUM (Oxeye)		
salicifolium—Large yellow flowers, July, 3 to 4 ft	51.50	
CALIMERIS incisa—Purple flowers with yellow center,	0 -	
I ft., July to September	.80	
CALLIRHOE involucrata—A trailing plant of vigorous		
growth, with rich, violet-crimson flowers in late		
summer, I ft	.80	
CAMPANULA Carpatica—(Carpathian Hare-bell)—A		
neat, compact, low-growing species with deep blue	0	
flowers, June to September, 9 in	.80	\$ 6.00
Carpatica var. alba—Pure white, June to Septem-	0	
ber, 9 in	.80	
glomerata—Bluish-purple, June to September, 2 ft.	.8o	7.00
latifolia—Broad foliage, blue flowers, 2 ft., June		
and July	1.00	
macrantha - A strong growing variety, 3 to 4 ft.		
high, bearing large, purplish-blue flowers	I.20	
media—In separate colors	1.00	8.00
Mixed colors	.8o	6.00
persicifolia - Tall spikes of blue flowers; June and		
July, 18 in	.80	
persicifolia var. alba-White, very showy, June and		
July, 18 in	.80	6.00
persicifolia var. Moerheimi—New. Double, pure-		
white flowers. Hardy. July. 2 ft	1.50	
pyramidalis (The Chimney Bell-flower)—Showy	5	
spikes of blue, August and September, 2 ft	1.00	8.00
rotundifolia (Blue Bells of Scotland, or Hare Bell)—		
The true blue-bell, with beautiful clear-blue flow-		
ers, June to August, 1 ft	1.00	
CASSIA Marilandica (American Senna)—Large pani-		
cles of bright yellow, June to September, 4 ft	1.00	8.00
CEDRONELLA (Balm of Gilead).	1100	0.00
cana—Spikes of showy crimson flowers and aroma-		
tic foliage, July, 2 to 3 ft	1.50	
CENTAUREA calocephala—Large dark maroon flowers	1.30	
on long stems	1.00	
macrocenhalus—Deen vellow, September, 2 ft	1.00	
macrocephalus—Deep yellow, September, 3 ft montana (Perennial Corn Flower)—Large purple,	1.00	
July and August, 1½ to 2 ft	1.00	
montana alba—Pure white flowers	1.00	8.00
CATANANCHE cærulea (Cupid's Dart)—Showy	1100	0.00
white flowers with blue eye; June to August, 2 ft.	.80	
CERASTIUM Boisserii (Snow in Summer)—Bright,	.00	
silvery foliage, with pure white flowers in June,		
	1.00	
6 in	1.00	
glabra—Spikes of creamy-white flowers in autumn,		
	.80	
2 ft	.80	
Lyonii —Heads of deep red flowers, September CHRYSANTHEMUM Hardy—A variety of colors in-	.00	
	1.00	8.00
cluding bronze, pink, white, yellow, etc latifolium—Large flowers, pure white with yellow	1.00	0.00
	T 00	
leucanthemum hybridum (Shasta Daisy)—Grand,	1.00	
	80	6.00
bold flowers, white with golden center	,80	0.00

	Per 10	Per 100
maximum—A valuable cutting plant. Hardy\$.80	
CIMICIFIIGA racemosa (Snakeroot Long spikes of		
CIMICIFUGA racemosa (Snakeroot,—Long spikes of pure white flowers in July, 6 ft	T 00	
CIEMATIC Devidience Pollabored flowers of door	1.00	
CLEMATIS Davidiana—Bell-shaped flowers of deep		
lavender-blue; very fragrant, August and Sep-		
tember, 3 ft	1.00	
recta-Large panicles of small fragrant white flowers		
4 ft., June	1.00	
CONVALLARIA—Lily of the Valley.		
		\$1.00
majalis—Strong pips	.80	φ1.00
Towns then lengalete and a centinuous	,00	
grandiflora—Larger than lanceolata and a continuous		
bloomer, 3 ft	.60	5.00
lanceolata—An old favorite, with golden yellow		
flowers the entire season	.60	4.00
verticillata—Lemon-yellow flowers. June to Sep-		
tember. 18 in	1.20	
CYPRIPEDIUM (Lady Slipper).		
spectabile—The purple Lady Slipper. June	.80	6.00
	.00	0.00
DELPHINIUM (Hardy Larkspurs).		
Chinensis—A pretty variety, in varying color from		
blue to almost white	.80	
Chinensis albaWhite form of above	.80	
Elatum (Bee Larkspur)—Blue with dark violet petals,		
June to August, 4 ft	.80	6.00
formosum—Deep blue, with large white eye; one of		
the best and most effective hardy perennials;		
Inne and July 2 ft	.80	6.00
June and July, 3 ft	.00	0.00
	0.	,
and July. 3 ft.	.80	6.00
Mixed hybrids—Containing all shades of blue,		
3 to 4 ft DIANTHUS barbatus (Sweet William)—An old	.80	6.00
DIANTHUS barbatus (Sweet William)—An old		
garden favorite; mixed colors	.80	6.00
deltoides (Maiden Pink)—A charming creeping vari-		
ety, deep red, crimson eyed; flowers in May and		
June June	.80	6.00
latifolius—Large heads of bright, red flowers from	.00	0.00
Tationus—Large neads of bright, led nowers from		
June to September, 8 to 10 in	1.50	
plumarius—(Scotch or Garden Pink)—Thick tufts of	0	
glaucous-green foliage, 9 in., June	.80	6.00
Hybrid Garden Pinks.		
Homor Dich orimson Clavor scented final-		
Homer - Rich crimson. Clover scented, finely		
fringed. Double	1.50	
Her Majesty-Very large. Double, pure white	1.50	
New Mound-Bluish pink, finely fringed, fragiant	1.50	
Mrs. Sinkins—The finest white hardy carnation		
grown, with intense spicy fragrance	1.50	
DICENTRA eximia—Light pink, excellent for rock-	_	
DICENTRA eximia—Light pink, excellent for rockwork. June to August, I ft	1.00	8.00
spectabilis (Bleeding Heart)—Long racemes of light	1.00	0.00
nink flowers May and June 18 in		9
pink flowers. May and June, 18 in	1.00	. 8.00
DICTAMNUS fraxinella (Gas Plant)—Showy rose-pink		
flowers in June and July, 2½ ft	1.50	
fraxinella alba—A pure white variety	1.50	

DIGITALITY (F)	Per 10	Per 100
DIGITALIS (Foxglove).		
ambigua, or grandiflora (Yellow Foxglove)—Pale yellow, veined with brown; June and July, 2 ft	80	\$6.00
gloxiniæflora—The popular variety, ranging in color	, .00	φ 0.00
from pure white to deep pink; June and July, 3 ft.	.80	
gloxiniæflora alba—White, June and July, 2 ft	.80	6.00
purpurea—(Common Foxglove)	.80	6.00
rosea—Beautiful rose-colored flowers, 2 ft., June	80	
and July DORONICUM (Dogbane).	.80	7.00
excelsum—Large orange yellow flowers, 4 inches in		
diameter in spring, 2 ft	1.00	8.00
DRACOCEPHALUM (Dragon's Head).	_	
altarense—Blue flowers. July, 6 to 9 in	.80	
ECHINACEA purpurea (Purple Cone-flower) - Rosy purple. July to September, 3 ft	T 40	10.00
ECHINOPS (Globe Thistle).	1.20	10.00
ritro—Handsome thistle-like foliage, with blue flow-		
ers in August, 3 ft	1.00	
EPILOBIUM agustifolium—Showy spikes of clear		
red flowers. June to August. 4 ft	.80	6.00
EPIMEDIUM (Barren-wort). macranthum—Spikes of lilac-purple flowers. May, 1 ft.	T 50	
muschianum—Creamy white, spring, I ft	1.50	
ERIANTHUS ravennea—Ravennea Grass. Bronze	11,50	
foliage and purple plumes. 6 ft	00.1	
ERIGERON (Flea-bane).		0
Coulteri—Large whitish flowers; 15 inches, July	1.00	8.00
speciosus—Large violet-blue flowers in June and July,	1.50	
ERYNGIUM (Sea Holly).	1.30	
Amethystinum-Thistle-like heads of glistening		
amethystine-blue; July to September, 3 ft	1.50	
yuccafolium—Foliage resembles yucca, flowers steel-		
blue; 3 ft., August	1.50	
EULALIA Japonica —Very popular ornamental grass, 4 ft	1.20	10.00
Japonica var. gracillima—Narrow foliage, 4 ft	.80	6.00
Japonica var. variegata—Variegated leaves, 4 ft	.80	6.00
Japonica var. Zebrina—New Zebra-striped grass	.80	6.00
EUPATORIUM ageratoides (Thorough-Wort) - Dense		
heads of minute white flowers; August and Sep-	T 50	
tember, 4 ft	1.50	
purpureum—A gigantic perennial. Branching heads of purple flowers 18 in. across. 6 ft	.60	5.00
EUPHORBIA corollata (Flowering Spurge)—Umbels		
of white flowers; June to August, 18 in	1.00	8.00
FUNKIA (Plantain Lily). subcordata var. grandiflora—Pure white, July to		
September, 2 ft	1.50	12.00
marginata—Foliage edged with white, 2 ft	1.00	8.00
ovata-Foliage glossy, deep-green; lilac, trumpet-		
shaped flowers. June, 2 ft	1.00	
variegata - Leaves variegated with white	.80	6.00
GAILLARDIA aristata (Blanket Flower)—The center is red-brown, the petals are orange, crimson and		
red, June to November, 2 ft	.60	5.00
		5.11

	Per 10	Per 10
grandiflorum-Large, gorgeous flowers of crimson		
and gold, blooming throughout the season, 2 ft	\$.60	\$ 5.00
GALIUM boreale (Red Straw)—A native plant with		
small, white flowers, June to August, 3 ft	.60	4.00
GALTONIA candicans—A bulbous plant with large		
spikes of white flowers in August. 4 ft	.50	4.00
GERANIUM sanguineum (Crane's Bill)—Of compact		
habit, with bright crimson flowers throughout the	.80	
season, 18 inchessanguineum album—White flowers, 18 in	.80	
GEUM atrosanguineum - Dark red. May to August,	.00	
	.80	6.00
GILLENIA trifoliata (Bowman's Root)—	.00	0.00
A spiræa-like plant with slender stems and loose		
panicles of white flowers. July. 3 ft	1.50	
GYPSOPHILA paniculata (Baby's Breath)—Large	5-	
GYPSOPHILA paniculata (Baby's Breath)—Large panicles of minute white flowers in August and		
September, 3 ft	1.20	10.00
acutifolia—A tall-growing variety; late blooming.		
Flowers white, tinged with pink. 4 ft	1.50	
Stevenii—Grows about 2 ft. high, of bushy spread-		
ing habit, choice white flowers in June and July	1.50	
HELIANTHEMUM (Sun Rose).		
hyssopifolium—Large copper-colored flowers, 6 in	1.00	
vulgare citrinum—Yellow, single flowers, 6 in	1.00	
HELENIUM autumnale (Sneeze-Wort)—Deep golden-	0	
yellow flowers, August and September, 5 to 6 ft	.80	6.00
Hoopesii—Bright orange yellow, June to September,		
3 to 4 ft striatum—Red and orange, September, 4 ft	1.50	,
	.80	6.00
HELIANTHUS—(Hardy Sunflowers). decapetalus—Fine free-blooming form, with clear		
yellow flowers, September to frost, 5 ft	.60	F 00
Maximilliana—A tall, graceful, single-flowered vari-	.00	5.00
etv. October. 5 to 7 ft.	.80	
ety, October, 5 to 7 ft	.00	
tember, 5ft	1.20	
multiflorus plena. Double yellow, 4 ft	.80	7.00
orgyalis-Medium-sized, golden yellow flowers in		,
September, 6 ft	1.50	
rigidus—Golden-yellow, dark center, dwarf, July and		
August, 3 ft	.80	6.00
HELIOPSIS—(Orange Sunflower).		
Pitcherianus—Deep golden-yellow flower through-		
out the summer, 4 ft	.80	6.00
HELLEBORUS niger major—The flowers are pure-		
white under glass, but have a slight tinge of rose		
in the open. Valuable for forcing	2.00	
variety with brilliant orange vellow trumpet shaped		
variety with brilliant, orange-yellow, trumpet-shaped flowers. A splendid plant	2 50	
flava—Orange yellow, very fragrant, May and June,	3.30	
3 ft	.80	6.00
fulva—Large, tawny yellow flowers, handsome foli-	,	0.00
age, 4 ft	.80	6.00
Sieboldi-Orange colored flowers, July, 2 ft		
Thunbergiana - Bright vellow, June, 3 ft		8.00

8 Catalogue and Price List 1905		
HEUCHERA sanguinea (Alum Root)—Dwarf and compact habit, flowers brilliant crimson, June to Aug-	er 10	Per 100
ust	.80	\$8.00
HIBISCUS militaris—Rose-colored flowers, crimson, August, 5 ft	.80	6.00
of rosy red, 4 ft	.80	6.00
purest white, crimson center 4 ft	.80	6.00
white blossoms, April and May, I ft	I.00	8.00
IRIS.		
New Race of Early-Flowering		
HARDY ALPINE IRIS.—(New Hybrids.)		
Suitable for edgings, rockwork, etc. Large fragrant flowers for table decoration, small vases and bowls. Bloom from March to May.		

Price 25 cents each; \$20.00 a hundred.

Where the description is similar, the flowers either bloom at different times, or are quite distinct.

(S) signifies Standards, or the erect petals, (F) Falls, or the droop-

Adelaide—Bluish white, 8 in.

Alice-Rich yellow, self veined, brown.

Alida—Good white.

Aureole—Canary.

Atlas-S. crimson, f. deep crimson.

Beatrice -S. fawn, f. pale yellow. 9 in.

Berlioz-Rich purple. 6 in.

Clothilde—Purple, dwarf, open flower.

Charmer-Light cream.

Curiosa—S. sulphur, f. purple.

David—S. pale purple, f. claret. Delicata—White and cream.

Diana-Sulphur white.

Eclipse—Red purple, white beard. 9 in.

Eldorado—Large flowered blue. Elfrida-Yellow, orange red.

Ernest—Sulphur gray purple.

Evelyn—Sulphur, orange beard.

Goethe-Soft yellow, falls veined; free.

Grandee—Rich purple, large and good.

Haydn-White, porcelain purple.

Ianthe-Primrose self; open.

LaPerle—Good pale sulphur.

Mazarin - Primrose yellow.

Meteor-Good purple.

Milton-Yellow and orange.

Nimrod-Red, 6 in. Good.

Norma-Purple, early.

Othello-Purple, bronze and orange.

Obelisque-Rich deep purple.

Penelope—Rich yellow. 9 in.

Queen-Dwarf, sulphur, self, open.

Rosalie-Claret. 9 in.

Rosine—Good white. 10 in.

Sabrina-Purple self. 9 in.

Scott - Sulphur, gray falls.

Uranus—Red purple, white beard.

Venus-Blue, green and white.

Victor - Dwarf white, large flower.

Vestal—Primrose self. 9 in. Virgo—Purple. 9 in.

Vivian-Yellowish white.

Voltaire-Sulphur white, blotched falls.

NEW CRIMEAN IRIS.

(Pumila and Olbiensis Hybrids.)

A beautiful group resembling the German Iris, only growing from nine to eighteen inches, remarkable for their vigorous growth and marvelous quantity of flowers, and most of them very fragrant.

Price 20 cts. each, \$1.50 per 10.

Beauty—S. rich cream yellow, f. pale yellow flushed, purple.

Bridesmaid—S. white faintly stained pale lavender, f, yellow flushed with blue.

Canary Bird—S. rich canary yellow, f. deep rich yellow, very large.

Conspicua—S. French gray, f. sulphur, stained purple.

Niobe-S. bright purple, f. very dark blue.

Orange Queen—S. very bright orange, f. deep orange, flushed purple.

GERMAN IRIS.

Choice named varieties.

Blooms in June and requires rich soil.

Price \$.80 per 10, \$6.00 per 100.

Abou Hassan—S. rich yellow, f. deep yellow striped and mottled brown.

Alba—S. and f. pure white, quite distinct.

Albicans, "Princess of Wales"-Snow white one of the best.

Amena Unique-S. French white, f. violet suffused white.

Asiatica—(New) S. a bright clear blue, f. a rich violet, a bold, handsome flower, one of the largest, very distinct. First-class certificate, R. H. S. (Royal Horticultural Society, London), 25 cents.

Atroviolacea—S. rich purple, f. dark blue.

Aurea—S. and f. rich golden yellow, 15 cents. Augustina—S. yellow, f. yellow and maroon.

Celeste—Delicate pale lavender.

Cengialti-Dark purple.

Darius-S. soft rich yellow, f. lilac.

Flavescens - A large, self-colored flower of a pleasing shade of primrose.

Florentina—S. and f. white, slightly flushed, and very fragrant.

La Tendre-Violet and lavender.

Madame Chereau—S. and f. white, elegantly fringed with azure blue, one of the best.

Pancrea - S. Bluff, f. purple.

Pallida Dalmatica - S. lavender, f. lavender with rose tinge.

Pallida speciosa - Rich, indigo blue.

Queen of May—A most delicate self rose pink. Queen of Gipsies—S. bronze, f. purplish red. Rebecca—Yellow and brown. Sampson—S. golden yellow, f. maroon.

IRIS KÆMPFERI.

(Japanese Iris.)

Requires damp soil, blooms in July.

Named Varieties — \$1.00 per 10, \$8.00 per 100. Named Colors — \$1.00 per 10, \$7.00 per 100. Mixed Colors — \$.80 per 10, \$6.00 per 100.

VARIETIES.

Alida—Six petals; very large and decorative; pearl white, daintily but distinctly striped and penciled with blue.

distinctly striped and penciled with blue.

A. L. Sherwood—Three petals, purple veined with white.

Bertha — Pale blue splashed with white.

Blue Beard—Intense blue throughout; large and full.

Bluebell—Purplish blue; golden yellow at base.

Blue Danube — Pure rich blue; yellow center.

Blue Jay—Three petals, self-colored, deep blush plum.

Bopeep—French white, veined with lavender.



IRIS KÆMPFERI-GOLD BOUND

Delicata—Cream and white.

Eclipse—Pure milk white with golden center.

Gold Bound—Double. Pure white, base of p

Gold Bound-Double. Pure white, base of petals golden-yellow.

J. C. Vaughan—Pure white.

Hyde Park—Reddish-purple blotched with white.

Mahogany—Dark red shaded maroon; very distinct.

Navy Blue-Rich dark blue, yellow at base.

Painted Lady—White, richly suffused and striped with bright pink; very showy.

Paragon-Double. Rich, velvet purple.

Prof. Georgeson—Pure, rich, purple plum; of mammoth size.
Pyramid—Violet-purple, veined white.
Robert Craig—Ash grey with violet veins.
Spaulding—Rosy-purple with pure white center.
Stella—Pure bright azure.
Violet Cap—Single. Purple and white.
William Tell—Double. White veined with indigo.

IRIS ORIENTALS.

BLUE (Yale color) blooms in May and June, \$.60 per 10, \$5.00 per 100.

IRIS PUMILA.

Requires dry soil, blooms in April and May. Yellow, White and Blue, \$1.20 per 10, \$10.00 per 100.

IRIS SIBERICA. \$1.00 per 10. \$8.00 per 100.

\$1.00 per 10, \$5.00 per 100.		
	Per 10	Per 100
Siberica—Blue.		
Siberica Alba—White.		
IRIS Cristata - Light blue flowers, fringed and spotted		
with yellow. Early. 8 in	\$1.50	
pseuda-corus	1.00	\$8.00
LATHYRUS latifolius (Everlasting Pea) - Clusters of		
red flowers, 3 to 4 ft. June to September	.60	5.00
LEPACHYS pinnata—Lemon colored flowers. Septem-		
ber, 6 ft	1.00	
LIATRIS (Blazing Star).		
gracilis-New. Slender spikes of feathery-purple		
bloom. August. 4 ft	1.00	8.00
grameaflora pilosa—Grows from 4 to 6 ft. Tall with		
purple bloom nearly the entire length of the stalk.		
September	1.00	
pycnostachya—Dense spikes of pale purple flowers.		
September, 3 ft	.60	5.00
spicata - Deep purple spikes in June, 2 ft	.So	3
LILIUM Lily —		
Auratum—Gold Band	1.50	10.00
Batemaniæ—Orange, apricot	2.50	
canadense—Yellow, spotted	.60	5.00
candidum—Easter Lily	1.20	10.00
elegans—Deep Maroon	1.00	8.00
longiflorum—White	1-50	12.00
speciosum album – White	1.50	12.00
speciosum rubrum	1.50	12.00
Tigrinum—Tiger Lily	1.00	8.00
LINUM perenne (Flax)—A desirable plant either for	1.00	0.00
border or rockery, growing 18 inches high, large,		
clear, blue flowers	1.00	
LOBELIA (Cardinal Flower).	1.00	
cardinalis—Scarlet, September, 2 ft	.80	6.00
syphilitica—Blue, August and September, 2 ft	.80	6.00
syphilitica alba—White, August and September, 2 ft.	1.50	0.00
LUPINUS nootkatensis—Blue, July and August, 4 ft.	.80	
perennis—Light blue, 2 ft	.80	
polyphyllus—Deep blue, May and June, 3 ft	.80	6.00
polyphyllus beep olde, may and june, 3 tt	.00	0.00

•	D	D
polyphyllus lbus-White, May and June, 3 ft	Per 10	Per 100
LYCHNIS Chalcedonica—(Maltese Cross) Large	,	
heads of vermilion. Scarlet single flowers, July to		•
September, 2 to 3 ft	.60	\$5.00
Chalcedonica alba—Handsome, pure white flowers.		0
July to Sept. 3 ft	.80	6.00
plenissima semper florens—Clusters of fresh rose		
colored flowers, I ft	1.00	
viscaris splendens-Bright, deep-rose pink flowers.	0	_
July. 2 it	.80	6.00
viscaria splendens plena—Large, double, fiery-rose	0.	
color, June and July, 15 in	.80	*
tember, 18 in	.80	
mummularia — Money-wort, Deep yellow flowers, 2 in.	.00	
June to September	.60	5.00
LYTHRUM roseum superbum—A strong-growing,		3.00
shrub-like plant 3 to 4 ft. high, producing large		
spikes of rose-colored flowers from July to Septem-		
ber	.80	6.00
alatum—Deep purple flowers in long spikes, Septem-		
ber and October, 4 ft	.80	
MALVA alcea (Mallow)—Bright pink flowers all sum-		
mer, 4 ft	.80	
moschata—Fragrant flowers in clusters of a rosy tint.	.80	6
2 ft., July to September		6.00
MONARDA didyma (Oswego Tea)—Bright scarlet	1.50	
spikes, June and July, 2 to 3 ft	.60	5.00
fistulosa (Bergamot)—Flowers pale red to purple	.00	3.00
rose. Blooms all summer, 3 ft	1.50	
MYOSOTIS (Forget-me-not).	1.50	
palustris semperflorens—An ever-blooming variety,		
very useful	.60	5.00
ŒNOTHERA (Evening Primrose).		J
eximia—Jagged leaves, with flowers 4 to 5 inches		
across. White changing to delicate rose, 10		
inches, June to August	1.50	
fruticosa major—Deep yellow, June to September,		
2 ft		0
macrocarpa—Deep yellow, June to August, 1 ft	1.00	8.00
riparia—Pale yellow, I ft	1.50	
speciosa—A pure white variety, flowers all summer		
Youngi—Golden yellow, June to August, 2 ft	1.50 1.00	
Tourse outdoor joiners, june to Hugust, 2 It	2.00	

PÆONIAS.

These Pæonias are field grown, with three to five eyes. Price \$2.00 per 10, \$15 per 100, unless otherwise noted.

Double Varieties.

Alba Perfecta—Pure white, extra fine. \$2.00 per 10. Amabilis grandiflora—White, fringed petals, sweet. Artemise—Rose of several tints. Baron de Rothschild—Salmon center with outside petals rose. Beaute Francaise—Clear red. Bucchi—White, yellow center. \$2.00 per 10.

Carnea Elegans—Salmon rose.
Caroline Mather—Crimson, very large and dark.
Charles Binder—Violet red.

Charles Grosselin - Salmon with yellow.

Clarisse-Violet rose.

Chrysantemiflora—White yellow. \$2.00 per 10. Couronne de Roses—Dark rose, pink center.

Cytheree - Whitish.

Delachii-Delicate pink, fine.



PÆONIA-FESTIVA MAXIMA

Dorchester (Richardson's Seedling)-50 cts. Duchesse Mathilde.

Duchesse de Nemours-Sulphur with white extra. \$2.50 per 10.

Duke of Wellington-White with creamy center. \$2.50 per 10.

Faust—Soft rose.

Festiva Alba - Yellowish white. \$2.00 per 10,

Festiva Maxima-Pure white, large, with a few center petals tinged with carmine, best. 50 cts. each, \$4.00 per 10, \$35.00 per 100. Francis Ortegal—Purple crimson, very dark, large.

Fulgida-Very dark crimson, profuse flowering, extra.

Globosa—Rosy lilac shaded to deep rose.

Grandiflora carnea plena — Outside petals blush, center yellowish, very large, sweet. \$2.00 per 10.

Grandiflora Superba—Red with rosy white.

Humei-Rose, very large, late, extra.

Lady Leonora Bromurd.

La France—Outside petals pink, yellowish centre, fine.

La Martine - Bright red, full good.

Louis Van Houtte-Velvety purple, very dark, exceptionally large and desirable, fine form, 30 cts., \$2.50 per 10, \$20.00 per 100.

Madame Breon—Rose with whitish yellow.

Marie Lemoin—Pure white with creamy center. \$2.00 per 10.

Modista Guerin—Dark rose, large, fragrant.

Nivea Plenissima—Pure white. \$2.00 per 10. Norfolk (Richardson's Seedling)—50 cts. each.

Officinalis Rosea-Pink, very early, good.

Officinalis Rubra—Clear red, very early fine.

Perfection (Richardson's Seedling) —Outside petals rose-lilac; inside salmon; sweet 50 cts.

Queen Perfection-Cream white. \$2.50 per 10.

Rosea Elegans-Lively rose.

Souv. de l'Exposition-Deep rose, large and fine.

Sulphuria—White, tinted yellow, large, fine the deepest yellow of all, extra. \$2.50 per 10.

(Fringe-leaved Pæonia) shining crimson. \$2.50 Tenuifolia—Fl. pl. per 10.

Triomphe de Grand—Rosy white with yellow.

Triomphe de Nord-Violet-rose, lilac shade.

Victorie Modiste-Inside petals small, double and rosy white surrounded by a row of large single rose petals, distinct.

Single Varieties.

Price, 40 cts. each, \$3.50 per 10.

Josephine—Rose. Larissa - Pink.

Mardonius—Crimson.

Medon-White.

PERENNIAL PHLOX.

Strong, field-grown plants, best varieties.

Price \$1.00 per 10, \$8.00 per 100.

Albati—Pure white, about two feet tall, late.

Aguilon-Pure white, tall, quite late.

Astier Rehu-Light purplish crimson, mottled, large flower.

Athis-Deep pink, overlaid with salmon, crimson eye.

Beranger—White, suffused with pink, rosy lilac eye.

Baule de Feu-Cherry red, brilliant.

Boquet de Fleuss-White, large pink center, medium flower and growth.

Bridesmaid-White with large rose center, good habit.

Champs Elysee Rich purplish crimson.

Coquelicot—Orange scarlet, crimson center.

Crepuscule—White, shaded violet, crimson eye, late.

Cyclone-White, splashed with deep pink. Czarina-Pure white, early. Dora Umgella-White with lilac pink center, very large. Eclaireur-Carmine, salmon center, large. Esperance-Light lavender pink, large white center. Faust--Bright pink, carmine center, large. Franklin-Very dark purple, tall and attractive. General Chanzy—Scarlet pink, tinted salmon. Henry Munger—Pale white, crimson center, large. Independence-Pure white, late. Inspector Juergins - Deep pink, carmine center. James Bennett-Salmon pink, dark center. James Galloway-Cherry red. Jeanne d'Arc-Pure white. Jules Finger-Pure white. La Feu du Monde-Bright salmon red, late. La Flander—Dark red, tall, very late. La Pole du Nord-Pure white, crimson center. Le Soliel-Brilliant China rose, rose center. Lothair—Salmon red, carmine center. Mme. Marie Kuppenheim - Pure white, dwarfish, late. Madame Meuret - Flame color, carmine center. Metador - Bright orange-red, large. Michael Buckner—Dark purple. Michael Cervantes-Pure white with red center. Minerva-Delicate pink. Miss Lingard - White with delicate pink center. Moliere—Salmon rose, deep rose eye. Norwood - Bright magenta-crimson. Ornament - Bright pink, very large, medium height. P. Bounetain-Bright pink, light center. Pantheon - Deep rose. Peach Blow-Delicate pink, deep rose center. Pluto-Deep fuchia red. Pink Beauty-Light pink. Prof. Schlieman - Salmon rose, carmine eye. Purity - Snowy white, large flower. Richard Wallace Pure white, violet rose center. R. B. Struthers - Bright pinkish salmon, crimson eye. Saison Lierval-White, light pink center. Semisamis-Crimson purple, large, white center. Simplon-Salmon pink, dark center, very large. Sunshine-Deep salmon pink, rose center. Thebaide -- Salmon red, crimson center, dwarfish. The Pearle--Pure white.

SEEDLING PHLOX.

These include some of the finest varieties. Mixed seedlings, \$1.00 per 10, \$6.00 per 100.

DWARF PHLOX.

PHLOX amona. One of the best early flowering species.	Per 10	Per 100
Flowers pinkish-purple.	\$1.00	\$ 8.00
P. Caroliniana var. ovata. Large purplish-red		
flowers	1.00	8.00
P. divaricata. Fragrant lilac flowers. 6 in		

	Per 10	Per 100
P. subulata. (Moss Pink.) Forms a carpet of moss- like foliage, covered with purple-pink flowers in		
P. subulata alba. A form of p. subulata with white	\$.60	\$ 5.00
flowers	.60 .60	5.00
PAPAVER orientale (Oriental Poppy)—Flowers of	.00	5.00
large size and gorgeous colors, 2 ft	.80	6.00
shaped flowers of various colors, all season, I ft PENTSTEMON (Beard Tongue).	1.00	8.00
barbatus Torreyii—Bright scarlet spikes, June to		
August, 3 to 4 ftdiffusus—Showy spikes of purple flowers. 18 ins.	.60	5.00
August	.80	
to 3 ft	.80	6.00
to 3 ftovatus—Blue changing to purple, July and August,		
2 to 3 ft	1.00	
PHYSOSTEGIA (False Dragon Head).		
speciosa—Bright pink. Very showy. June. 2 ft Virginica – Pink flowers, 3 ft	1.00 .80	6.00
Virginica alba—Pure white, 3 to 4 ft	1.00	0.00
PINKS Hardy Garden See Dianthus.	1100	
PLATYCODON (Chinese Bell Flower).		
grandiflorum—Blue, June to October, 18 in	.80	6.00
grandiflorum album - White, June to October, 18 in.	1.00	
grandiflore plena—Double flowers, 18 in POLEMONIUM (Jacob's Ladder).	2.00	
cœruleum—Terminal spikes of blue, June and July,		
I ft	1.00	8.00
POLYGONATUM (Solomon's Seal).		
cuspidatum—White tubular blooms, 2 ft	1.20	10.00
multiflorum -Does well in shady spots, 2 ft	1.50	
POTENTILLA formosa (Cinquifoil)—Showy red flow-	.80	
ers in July, 18 ingrandiflora—Red and orange, June and July, 1 ft	.80	
lutea—Rich yellow, June and July, I ft	1.20	
PRIMULA carpatica (Primrose)—Dense round head of		
deep violet blue in springofficinalis hybrida (Cowslip)—These vary in color,	.So	
officinalis hybrida (Cowshp)—These vary in color,		
ranging from crimson to deep yellow and pure white	.80	
Veris superba—Very large yellow flowers	1.00	8.00
PYRETHRUM—(Feverfew).		
uliginosum (Giant Daisy)—Large white daisy-like		
flowers, July to September, 4 to 5 ft Double, in Colors—Red, white and pink	1.00	8.00
Double, in Colors—Red, white and pink	1.50	
Single, MixedSingle, in Colors Red, white and pink	.60 .80	7.00
RANUNCULUS acris fl. pl. (Bachelors' Buttons)—A	.00	7.00
double flowered form of the yellow Buttercup,		
May and June, 2 ft	.80	7.00
aconitifolia plena—Fine, double-white flowers. June.		
z ft repend ft. pl. A yeary free growing creeper with	1.50	
repens fl. pl.— A very free growing creeper, with double yellow flowers. June and July	.80	
acasie jone, nonese. Jane and july		

DEDDEGETA (C. C.	Per 10	Per 100
RUDBECKIA—(Coneflower).		
"Golden Glow" - One of the finest perennials, with bright double yellow flowers in summer, 6 ft	\$.50	\$ 3.00
fulgida—Plant compact and bushy. Orange yellow	" 5	" 3
with maroon disk, 6 ft	.80	
Newmanii—Golden yellow with jet-black center, 3		
ft., September	I.00	8.00
purpurea (Giant Purple Coneflower)—Very large,		
reddish-purple flowers, June to October, entirely		
distinct, 4 ft	I.20	10.00
sub-tomentosa—Very attractive, yellow flowers in		
August, 5 ft	1.00	
RHEXIA Virginica (Meadow Beauty)—A handsome	0	
dwarf plant, rosy-purple, blossoms in summer	.80	6.00
SALVIA azurea grandiflora (Meadow Sage)—Sky-blue		
flowers in great profusion, August and September,		8 00
3 to 4 ft	1.00	8.00
pratensis—Showy spikes of deep blue, June to	.80	6.00
August, 2 to 3 ft	.00	0.00
ance, June, I ft	.80	
SAPONARIA ocymoides—A useful trailing plant;	.00	
bright pink flowers. May to August, 6 in	.80	
officinalis fl. pl.—Broad heads of double pink flow-	.00	
ers. August. 2 ft	1.00	
SAXAFRAGA cordifolia - Large dark foliage, with	1100	
clusters of deep, rose flowers. April and May.		
15 in	2.00	
SCABIOSA Caucasica—A charming perennial, lilac-		
blue flowers, June to September, 11/2 ft	1.00	
Caucasica alba A white variety	1.50	
SEDUM (Stone-crop).	_	
acre (Golden Moss)—Creeping, yellow foliage and		
flowers	.80	6.00
album—Creeping, green foliage, white flowers	.80	6.00
maximum atropurpureum—Upright habit, metallic-		
brown foliage, reddish flowers	.80	
Seiboldi - Trailing branches, broad foliage margined		
with pink; flowers bright pink, 6 in	1.00	
spectabile (Brilliant Stone-crop)—Erect habit, broad		
green foliage and inimense rose-colored flowers in		0.00
late fall	1.0	9.00
inch across. 3 ft. June	T 00	
SILENE maritima—A dwarf plant 2 to 4 in., high	1.00	
with white flowers, June	.80	6.00
Pennslyvanica—Native, bright pink flowers, 9 in	1.00	8.00
SOLIDAGO Canadensis (Golden rod)—Golden yellow		0.00
flowers in fall, 3 to 4 ft	.80	6.00
SPIRÆA Aruncus—White plumes very graceful. June,		
4 ft	1.00	
astilboides—Blooms of feathery white, beautiful fol-		
iage. June and July, 2 ft	1.50	10.00
Kamtschatka—White. June, 6ft	1.50	
filipendula—Showy heads of white flowers tinged		
with rose, 2 ft. June	, .60	5.00

Per 10	Per 100
\$.80	
I.00	\$ 8.00
1.00	8.00
1.00	
.50	4.00
.80	
.80	
	1.00 1.00



TRITOMA-PFITZERII

STOCKESIA cyanea - Lavender blue. July to October,		
18 in	.80	6.00
THALICTRUM—Meadow Rue.		0.00
	1.50	
aquilegifolium - Purple flowers, 2 ft. May to July.	1.50	
THERMOPSIS Caroliniana—Long spikes of yellow		
flowers in June and July, 6 to 8 ft	1.00	8.00
THYMUS Vulgaris—Small lilac flowers, aromatic flavor		
and fragrance, 6 in. June and July. :	1.00	
TRADESCANTIA (Spider-wort).		
Virginica—Succession of purple flowers all summer,		
2 ft	. 50	4.00
Virginica alba—White flowered	.80	6.00
TRILLIUM—(Wood Lily).		
erectum—Maroon. April, 6 to 9 ins	.80	6.00
grandiflorum—White. April, 6 to 9 in	.80	6.00

	Per 10	Per 100
TRITOMA (Red Hot Poker).	er.	
Pfitzerii-Orange scarlet, August to October, 4 ft	\$ 1.00	\$ 9.00
uvaria grandiflora—Rich crimson, 3 to 4 ft	1.00	8.00
TROLLIUS Europæus (Globe Flower)—Flowers like		
a giant buttercup, all summer, 1 ft	1.00	40.00
giganteus (Large Globe Flower)May, 18 in	1.50	
TUNICA saxafraga—Dwarf, tufted plant; bright pink,		
flowers all summer	1.00	
VALERIANA officinalis—Lavender, June, 4 ft	1.00	
VERBASCUM olympicum—Silvery-white foliage, yel-		
low flowers in August, 6 ft	.90	
VERONICA (Speedwell).		
amethystina—Flowers amythyst blue, on short spikes.		
June, 12 in	1.50	
June, 12 ingentianoides – Pale blue. 1ft. May	1.00	
longifolia—Blue. August, 2 ft	.60	5.00
longifolia subsessillis—Spikes of blue flowers a foot		,,,,,
long, July to September, 2 ft	1.00	8.co
incana - Silvery foliage, blue flowers, July and Au-	1.00	0.00
gust, I ft	1.00	
spicata—Long spikes of bright blue, June and July	1.00	
18 in	.60	- 00
spicata alba – A white-flowered form		5.00
rupestris—A fine rock plant, with blue flowers in	1.00	
rupestris—A fine rock plant, with blue nowers in	.80	
early spring VERNONIA Arkansana (Iron Weed)—Large heads	.00	
VERNONIA AIRAUSAHA (11011 Weed)—Large neads	0 -	
of purple in September, 5 ft	.80	
VIOLA—Violets.		
cornuta—Deep purple. April to August, 9 in	1.50	
cornuta alba—Large, white flowered variety	2.00	
Double Russian—Double deep purple	1.50	10.00
pedata—Large, lilac flowered variety	1.50	
Wellsiana—Large, rich purple	1.20	
VINCA minor (Periwinkle, or Trailing Myrtle'—A		
fine evergreen trailing plant	.50	4.00
VINCETOXICUM Japonicum—Flowers white and		
waxy. Blooms all summer, 3 ft	2.00	
YUCCA filamentosa (Adam's Needle)—Very ornamen-		
tal, swordlike foliage and tall spikes of creamy		
white flowers in June, 6 ft	1.00	8.00
Abs.		



YUCCA FILAMENTOSA.

A FEW LEADERS FOR 1905.

HARDY ASTERS. (See page 3.)

(Michaelmas Daisies.)

A more beautiful and interesting class of plants cannot be found. The cultivation of them has been too long neglected. Being perfectly hardy, graceful in habit and bearing a profusion of bloom at a season when hardy flowers are scarce, make them invaluable. The twenty-three varieties offered in this list, have been thoroughly tested on our grounds, and found worthy of all that is claimed for them. Lady Trevellyn, Novæ Angleæ and Novæ Belgii, can be furnished this spring. The other varieties are for delivery in the Autumn only.

HOLLYHOCKS. (See page 1.)

(Althæa rosea.)

The revival of this old plant is a true indication that popular favor is toward the Herbaceous Garden. We are offering some of the finest strains of this old flower, both double and single varieties.

IRIS. (See page 8.)

(Fleur-de-lis.)

The collection of Iris at the Bay State Nurseries is worthy the attention of every lover of this popular flower. For planting in border and rockery, this plant is unsurpassed. The several new species offered by us meet every requirement as to blooming season and adaptation to the different soils in which they may be planted.

PHLOX PANICULATA. (See page 14.)

(Perennial Phlox.)

This notable perennial is perhaps the most widely known of all. Of the vast number of varieties tested in our nurseries the past few years, many have been discarded. Only the best known varieties are retained and offered to our patrons. Some of the newer varieties found in our list, must be seen to be appreciated.

PÆONIAS. (See page 12.)

We offer sixty-five varieties of this splendid old plant. Some of the varieties are of enormous size, perfectly double and deliciously fragrant. Pæonias thrive in all locations whether in the broad sunlight or in partial shade. Their freedom from disease and insects make them most desirable.

